



Bridging the gap between policy and knowledge
on biodiversity in Europe

Method 17

Structured Decision Making

Summary of method

Structured Decision Making (SDM) is a well-defined method for analyzing a decision by breaking it into components including the objectives, possible actions, and models linking actions to objectives. It aims to compare possible actions in terms of one or more objectives.

It provides transparency by specifying each of these components and providing information that a decision-maker can use to implement and defend a decision.

This method can incorporate other knowledge synthesis methods. For example, Thorne *et al.* (2012) describe a process that uses a Bayesian Belief Network in the context of Structured Decision Making. Expert consultation with elicitation is often used to quantify predictive relationships as part of SDM.

SDM is founded on principles of value-focused thinking and decision analysis and can be conducted in a participatory manner with decision-makers, stakeholders, and experts. It can also provide a basis for adaptive management.

Structured Decision Making typically involves a series of iterative steps called ProACT (Problem framing, Objectives, Actions, Consequences, and Tradeoffs).

Key references

The method is described in detail in two books (Conroy and Peterson, 2012; Gregory *et al.* 2012).

There is an open access online course describing each step in detail, through videos and handouts (Runge *et al.* 2011).

Conroy MJ and Peterson JT (2012) Decision making in natural resource management: A structured, adaptive approach. John Wiley & Sons, Hoboken, New Jersey, USA. NOT OPEN ACCESS

Gregory R et al (2012) *Structured decision making: a practical guide to environmental management choices*. John Wiley & Sons. NOT OPEN ACCESS



Runge MC and Cochrane JF et al (2011) An overview of structured decision making, revised edition. U.S. Fish and Wildlife Service, National Conservation Training Center, Shepherdstown, West Virginia, USA. [online videos]
<https://training.fws.gov/courses/ALC/ALC3183/resources/index.html>

Examples of application

SDM is used to inform decisions by US state and federal natural resource management agencies, including Fish and Wildlife Service, National Marine Fisheries Commission, and US Army Corps of Engineers. It has also been used to inform regional decision-making in the San Francisco Bay Estuary and multi-party river management in southern British Columbia and northern Alberta.

It has been implemented in multi-stakeholder planning processes to inform decisions by a private hydroelectric company, local watershed organization, and a township in British Columbia. Also used to inform management decisions by trans-boundary protected areas in Europe involving broad-scale conservation issues.

Some published examples of application to real-world decision-making:

Compass Resource Management. 2015. Feature projects. Compass Resource Management, Vancouver, British Columbia, Canada.

http://www.compassrm.com/feature_projects.php

Dalyander PS et al (2016) Use of structured decision-making to explicitly incorporate environmental process understanding in management of coastal restoration projects: Case study on barrier islands of the northern Gulf of Mexico. *Journal of Environmental Management* 183: 497-509.

Gannon JJ, Shaffer TL and Moore CT (2013) Native Prairie Adaptive Management: a multi region adaptive approach to invasive plant management on Fish and Wildlife Service owned native prairies. US Geological Survey, Reston, Virginia, USA.

<https://pubs.er.usgs.gov/publication/ofr20131279>

Gregor R and Long G (2009) Using structured decision making to help implement a precautionary approach to endangered species management. *Risk Analysis* 29(4), 518-532.

Ohlson DW, McKinnon GA and Hirsch KG (2005) A structured decision-making approach to climate change adaptation in the forest sector. *The Forestry Chronicle* 81(1), 97-103.

Ralls K and Starfield AM (1995) Choosing a Management Strategy: Two Structured Decision-Making Methods for Evaluating the Predictions of Stochastic Simulation Models. *Conservation Biology* 9(1), 175-181.

Thorne KM et al (2015) Collaborative decision-analytic framework to maximize resilience of tidal marshes to climate change. Ecology and Society 20.

<http://www.ecologyandsociety.org/vol20/iss1/art30/>

Structured Decision Making

Cost

Staff time: at least 1 month (FTE). Needs two coaches trained in SDM, one with skills in quantitative decision analysis, and participants committing their time (see below) to participate throughout the process including at least one decision maker

Cost depends on

Scale of the problem and sectors, countries involved/addressed

The number of stakeholders/experts involved

How well the decision problem has already been framed by the stakeholders/experts

Level of disagreement among participants

Level of detail discussed, specified, and documented

Quality of facilitator/SDM coach

Decision analysis software needed

Time required

Duration typically at least 4 weeks: one week to frame the decision problem and form an appropriate team to address it, one week to develop a prototype decision framework, and two weeks to develop a final prototype in consultation with team members

Repeatability

If conducted with two different teams, the decision structure and in particular the quantitative components will likely differ

Transparency

High (if properly done). SDM is designed to promote transparency and defensibility of the decision-making process

Depends on the quality of the SDM coaches, level of transparency desired by team members, and time





	availability of team members to provide the desired level of transparency
Risk of bias	Medium. Depends on: Representativeness of stakeholders/experts Whether individual input for the decision analysis is incorporated or obtained in group discussion Quality of any data and predictive models incorporated
Scale (or level of detail)	Flexible; can address detailed fine-scaled decisions to broader transnational decisions
Capacity for participation	Flexible; can be done by one person trained in SDM or by a team of one or more decision-makers, stakeholders, and experts. Increasing number of participants beyond 10 typically requires a professional facilitator
Data demand	Information needs shift from qualitative to quantitative from the earlier to later steps. These needs depend on the desired level of transparency (see above). Can be done without literature review or detailed data analyses and instead rely on stakeholder and expert elicitation, but it can also incorporate data from the literature or existing models
Types of knowledge	Can incorporate scientific, indigenous, expert, and practitioner knowledge to help describe, decompose, and analyse the decision. No known cases where lay (public) knowledge has been incorporated e.g. through surveys, but it could be
Types of output	Concise decision question; objectives hierarchy; influence diagram; lists and definitions of ultimate objectives, management options, and external factors that are at least partly beyond control of managers; Bayesian belief/decision network; consequence table; weights of importance among objectives; expected utilities of management options These outputs can be presented user-friendly concise to detailed written reports and interactive websites

Specific expertise required

Requires one person with background in quantitative decision analysis, and one or more experts who can characterize and quantify the key sources of uncertainty that can influence the decision

Strengths

Can cope with high levels of uncertainty about system dynamics and conflicting stakeholder values

Good capacity for participation of stakeholders

Can incorporate diverse types of knowledge, including qualitative and quantitative information

Outputs can be scientifically defensible and understandable by non-technical audiences

Highly transparent (if done well)

'Bottom-up', driven by decision-maker needs and wishes

Useful for identifying and overcoming barriers to decision making by deconstructing a decision problem into component parts

Weaknesses

Quality of outputs depends on the quality and training of the SDM coach

Depends on the availability and trust of the participants, including decision-makers, stakeholders, and experts

Often relies on expert elicitation to quantify relationships between specified actions and objectives, as numerical models and data are often lacking

Often simplifies a problem so that it is feasible to analyse. Clear documentation of the simplifying process is needed to maintain transparency